

FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4





FIGURE 5






Example of tagged fluid.

Tagged fluid moulding the
colonic semicircular folds

40 % 25-12.5-12.5 ml
= TagitolV + cleansing

FIGURE 6




Example of tagged stool.

Same as previous

Examples of smaller and
larger stool balls labeled
with barium.


FIGURE 7



Example of tagged stool and small tagged fluid levels.

Same as previous

FIGURE 8



Large homogeneously tagged
fluid levels in the transverse
and descending colon.

Example of tagged fluid.

Tagitol (2.1 %) + cleansing

FIGURE 9




Non-tagged "material"
Surrounded by a small
Barium film. Image highly
Suspicious of polypoid
lesion, confirmed by
conventional colonoscopy.

Example of polypoid lesion surrounded by tagged residue.

Tagitol V + cleansing

FIGURE 10



Large homogeneously
tagged stool balls

Prepless
Tagitol 2.1
3 x 250
1 day

Patient prepared without cathartic cleansing, with Nutra Prep,
the hydration control and barium as the sole tagging agent.

FIGURE 11



A tiny barium film covers the colonic surface.
An eventual polypoid lesion would easily be recognized as a non-tagged lesion.
High densities are obtained.

Patient prepared without cathartic cleansing, with Nutra Prep,
the hydration control and barium as the sole tagging agent.

Tagitol 2.1- no cath cleans - 1 day

FIGURE 12